



18

Reference number of the declaration of performance Ydeevnedeklarationens referencenummer	2017-20
Unique identification code of the product type Varetypens unikke identifikationskode	COto Firedoor
Intended use(s) Tilsligget anvendelse	Outer door Yderdør
Manufacturer Fabrikant	Krone Vinduer A/S
System of assessment and verification of constancy of performance of the construction product (AVCP) Systemerne for vurdering og kontrol af konstansen af byggevarens ydeevne	AVCP System 1 DBI certification A/S DK2531 AVCP System 3 Teknologisk Institut DK1235

## Declared performance Deklareret ydeevne:

AVCP System 3		AVCP System 3	AVCP System 3
Harmonised standard Harmoniseret standard		EN 14351-1+A2:2016	
Notified body Notificeret organ		Teknologisk Institut, (Danish Technological Institute) Teknologiparken, Kongsvang Allé 29, DK-8000 Aarhus NB 1235	
Declared performance Deklareret ydeevne	Windload Vindlast	Class C3	
	Watertightness Vandtæthed	300 Pa (Class 7A)	
	Air permeability Lufttæthed	600 Pa (Class 4)	
	Thermal transmittance Termisk transmissionskoefficient	0,94 W/m <sup>2</sup> K	
	Height Højde	1720 mm – 2315 mm	

AVCP System 1		AVCP System 1	AVCP System 1
Harmonised standard Harmoniseret standard		EN 16034:2014	
Notified body Notificeret organ		DBI Certification A/S Jernholmen 12, DK-2650 Hvidovre NB 2531	
Declared performance Deklareret ydeevne	Fire resistance Brandmodstand	Class EI <sub>2</sub> 30	
	Self Closing Selvlukkende	-C *	
	Smoke Røg	NPD	

Produktet lever kun op til klassifikationen EI<sub>2</sub>30-C når den  
Link to online version of declaration of performance

Medleverede dørpumpe er installeret

<https://www.kronevinduer.dk/teknisk-support/dop-dokumenter/>

